

**International Pleuropulmonary Blastoma
Treatment and Biology Registry
Type I PPB Treatment Roadmap
Course 3 of 4**

PPB Reg. ID: _____

Institution: _____

Dosing rules: use current age and size at start of each course

Age _____ mos Ht. _____ cm Wt. _____ kg BSA

Date Due	Date Given	Week	VCR _____mg	DACT _____mg	CPM _____mg	*MESNA _____mg	Comments												
_____	_____	24	VCR _____	DACT _____	CPM _____	*MESNA _____	<u>(Entries must be dated)</u>												
_____	_____	25	VCR _____																
_____	_____	26	VCR _____																
_____	_____	27	VCR _____	DACT _____	CPM _____	*MESNA _____													
_____	_____	28	VCR _____																
_____	_____	29	VCR _____																
_____	_____	30	VCR _____	DACT _____	CPM _____	*MESNA _____													
_____	_____	31	VCR _____																
_____	_____	32	VCR _____																
_____	_____	33	VCR _____	DACT _____	CPM _____	*MESNA _____													
_____	_____	34																	
_____	_____	35																	
Dosages for patients > 3 yrs:																			
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">Vincristine (VCR)</td> <td style="width: 5%;">IV</td> <td>1.5 mg/m² IV push Day 0 of weeks 24 - 33 (Max. dose 2 mg).</td> </tr> <tr> <td>Actinomycin D (DACT)</td> <td>IV</td> <td>0.045mg/kg Day 0 of weeks 24, 27, 30, 33 (Max dose 2.5 mg).</td> </tr> <tr> <td>Cyclophosphamide (CPM)</td> <td>IV</td> <td>1.2 gm/m2/dose IV as 1 hr infusion with IV fluids and MESNA, day 0 of weeks 24, 27, 30, 33.</td> </tr> <tr> <td>*Mesna</td> <td>IV</td> <td>Use of Mesna with this dose of cyclophosphamide is the decision of the treating physician and institution</td> </tr> </table>								Vincristine (VCR)	IV	1.5 mg/m ² IV push Day 0 of weeks 24 - 33 (Max. dose 2 mg).	Actinomycin D (DACT)	IV	0.045mg/kg Day 0 of weeks 24, 27, 30, 33 (Max dose 2.5 mg).	Cyclophosphamide (CPM)	IV	1.2 gm/m2/dose IV as 1 hr infusion with IV fluids and MESNA, day 0 of weeks 24, 27, 30, 33.	*Mesna	IV	Use of Mesna with this dose of cyclophosphamide is the decision of the treating physician and institution
Vincristine (VCR)	IV	1.5 mg/m ² IV push Day 0 of weeks 24 - 33 (Max. dose 2 mg).																	
Actinomycin D (DACT)	IV	0.045mg/kg Day 0 of weeks 24, 27, 30, 33 (Max dose 2.5 mg).																	
Cyclophosphamide (CPM)	IV	1.2 gm/m2/dose IV as 1 hr infusion with IV fluids and MESNA, day 0 of weeks 24, 27, 30, 33.																	
*Mesna	IV	Use of Mesna with this dose of cyclophosphamide is the decision of the treating physician and institution																	
Dose modifications for children ≥ 12 months but < 3 yrs of age:				Dose modifications for children < 12 months of age:															
VCR: use 0.05 mg/kg				VCR: use 0.025 mg/kg															
DACT: use 0.045 mg/kg				DACT: use 0.025 mg/kg															
CPM: use 40 mg/kg				CPM: use 40 mg/kg															